EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	US-20020018453-\$,DID, OR US-20030036403-\$,DID, OR EP-1311076-\$, DID, OR EP-1054518-\$,DID,	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/24 09:22
S2	17	((FREDRIK) near2 (JANSSON)).INV.	US-PGPUB; USPAT	OR	ON	2009/04/24 09:27
S3	10	((RUTGER) near2 (ANDERSSON)).INV.	US-PGPUB; USPAT	OR	ON	2009/04/24 09:27
S4	1	((MICHAEL) near2 (ANEHILL)).INV.	US-PGPUB; USPAT	OR	ON	2009/04/24 09:27
S5	35	((KAPL) near2 (HELLWIG)).INV.	US-PGPUB; USPAT	OR	ON	2009/04/24 09:27
S6	35566	((bit near2 error) or (block near2 error)) near2 rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/24 09:45
S7	65171	(((bit near2 error) or (block near2 error)) near2 rate) or (BER or BLER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/24 09:45
S8	2064	((mobile near2 to near2 mobile) or MTM) or (cellular near2 to near2 cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 09:46
S9	5	S7 same S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 09:46

S10	3	S9 and (@pd<"20031203" or @ad<"20031203" or @prad<"20031203" or @riad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 09:47
S11	551	control with S7 with (target or goal or standard or objective)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 09:49
S12	383	S11 and (@pd<"20031203" or @ad<"20031203" or @prad<"20031203" or @prad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 09:49
S13	230	S12 and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 09:49
S14	87	(inspect or examine) with (frame near2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:09
S15	0	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:09
S16	302	(inspect\$3 or examin\$3) with (frame near2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:09
S17	1	S13 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:09

S18	1022	(inspect\$3 or examin\$3) with frame with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:10
S19	1	S13 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:10
S20	21849	370/241,252,310,311,328,329,335,342.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:13
\$21	57	S13 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:13
S22	888	control with S7 with (target or goal or standard or objective or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:18
S23	639	\$22 and (@pd< "20031203" or @ad< "20031203" or @ptad< "20031203" or @ptad< "20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:19
S24	290	\$23 and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:19
S25	1	\$24 and \$16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:19

S26	1	\$24 and \$18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:19
S27	145139	second with link	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:37
S28	3990	\$27 and \$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:37
S29	979	S27 same S7 qith S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:37
S30	10	S27 same S7 with S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:37
S31	9	\$30 and (@pd<"20031203" or @ad<"20031203" or @ptad<"20031203" or @ptad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:38
S32	0	WO-2002082685-\$, DI D.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:39
S33	10	\$27 same \$7 same \$11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:50

S34	6658	(uplink or (up near2 link)) with (down or (down near2 link))	US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:51
S35	3	S34 same S7 with S11	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:52
S36	3	S34 same S7 same S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:52
S37	3	S22 same S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/24 11:53
S38	2880112	(total or cumulative or sum)	US-PCPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/24 11:58
S39	1779	S38 with S7	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:58
S40	0	S39 same S34	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:58
S41	51	S39 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:58

S42	0	cellular near1 to near1 cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:02
S43	0	cellular adj to adj cellular	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:02
S44	0	(cellular or mobile) adj to adj (cellular or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:02
S45	2054	((cellular or mobile) adj to adj (cellular or mobile)) or MTM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:03
S46	2054	МТМ	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:03
S47	3886	S46 samne S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:03
S48	2	S46 same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:03
S49	2	S46 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:03

S50	58327	second near2 link	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:04
S51	4	S50 same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:04
S52	37872	((uplink or (up near2 link)) or first near2 link) with ((down or (down near2 link)) or second near2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:06
S53	1	S52 same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:06
S54	45113	((uplink or (up near2 link)) or first near2 link) same ((down or (down near2 link)) or second near2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:06
355	37872	S52 same S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:06
S56	945	\$38 same \$54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:07
\$57	3	S39 same S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:07

S58	19	(control\$3) with S7 same S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:13
359	5369	(control\$3) with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:17
360	282399	(base near2 station) or (central near2 station) or (transceiver near2 station) or (central near2 node) or (network near2 controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:18
361	663	S60 same (control\$3) with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:18
362	8	S61 same S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:19
	780	\$60 same (control\$3 or operat\$3 or dictat\$3) with \$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:22
364	455	\$60 with (control\$3 or operat\$3 or dictat\$3) with \$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:22
365	7	S64 same S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:23

S66	10	S63 same S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:24
S67	136	(control\$3 or operat\$3 or dictat\$3) with S7 with S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:26
S68	17	S67 same S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:26
S69	309779	(base near2 station) or (central near2 station) or (transceiver near2 station) or (central near2 node) or (network near2 controller) or (Node near2 B)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:42
S70	123	S69 same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:43
S71	18	S69 same S39 same S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:43
S72	637759	(call or conversation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:44
S73	7	S72 with S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:44

S74	81	\$39 and \$54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:54
S75	3	S39 same S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:54
S76	12412	(P2P or PTP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:57
S77	0	S76 same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:57
S78	0	S76 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:57
S79	14449	(P2P or PTP or MTM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:59
S80	2	\$79 same \$39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 12:59
S81	20	(mobile or cell\$5) with (call or convers\$5 or connect\$5 or initiat\$3) same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 13:01

S82	12	((mobile or cell\$5) with (phone or terminal or radio)) same (call or convers\$5 or connect\$5 or initiat\$3) same \$39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 13:10
S83	12	S39 with 50%	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 13:42
S85	1	S7 with 50% with ((uplink or (up near2 link)) or first near2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 13:44
S86	1	S7 with 50% same ((uplink or (up near2 link)) or first near2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 13:44
\$87	379	(maintain\$3) same (call or convers\$5 or connection) same S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 13:50
\$88	61	\$87 and \$20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 13:50
589	0	S87 and S20 with S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:17
S90	0	S87 and S20 with "50"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:17

S91	0	\$87 and \$20 same "50"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:17
392	397	(maintain\$3 or sustain\$3) same (call or convers\$5 or connection) same \$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:37
393	62	\$92 and \$20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:37
394	519942	"97" and (@pd<"20031203" or @ad<"20031203" or @prad<"20031203" or @rlad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/24 14:45
3 95	50	\$93 and (@pd< "20031203" or @ad< "20031203" or @ptad< "20031203" or @ptad< "20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:45
396	1353	S39 and (@pd<"20031203" or @ad<"20031203" or @ptad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:58
 397	111	\$96 and \$20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:58
398	2	(detect\$3 with (frame near2 type)) and MTM and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 15:15

S99	2	(detect\$3 same (frame near2 type)) and MTM and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 15:15
S100	7	(detect\$3 with frame) and MTM and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 15:16
S101	176	((mobile or cell\$5) with (phone or terminal or radio)) same (call or convers\$5 or connect\$5 or initiat\$3) and \$39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 15:18
S102	25	S101 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 15:18
S103	5	MTM same S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 15:28
5104	5468	(call or convers\$5 or connection) same S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 15:31
S105	97	(call or convers\$5 or connection) same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 15:31
S106	2	(control\$3) same S7 same (separate near2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 16:27

S107	11	(control\$3) same S7 same (separate with link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 16:27
S108	129	(control\$3) same S7 same ((separate or second or another) with link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 16:29
S109	29	(control\$3) same S7 same ((separate or second or another) near3 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 16:29
S110	0	detect with (MTM and PSTN and frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:00
S111	0	detect\$3 with (MTM and PSTN and frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:00
S112	1	detect\$3 same (MTM and PSTN and frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:00
S113	297	detect\$3 same ((cellular or mobile) and PSTN and frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:01
S114	191	detect\$3 same (cellular or mobile) and PSTN and (frame near2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:01

S115	105	detect\$3 same ((cellular or mobile) with (call or communication)) and PSTN and (frame near2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:01
S116	91	S115 and (@pd<"20031203" or @ad<"20031203" or @prad<"20031203" or @prad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:02
S117	2	detect\$3 same ((cellular or mobile) with (call or communication)) same PSTN same (frame near2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:02
S118	45	detect\$3 same ((cellular or mobile) with (call or communication)) same PSTN same (frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/24 17:04
S119	43	S118 and (@pd<"20031203" or @ad<"20031203" or @ptad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:04
S120	0	(mobile near2 to near2 PSTN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:07
S121	0	(mobile near3 to near3 PSTN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:08
S122	161	(mobile near2 call near2 PSTN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:08

S123	111	S122 and (@pd<"20031203" or @ad<"20031203" or @ptad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 17:08
S124	65220	(((bit near2 error) or (block near2 error)) near2 rate) or (BER or BLER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 12:56
S125	12	S124 with (control\$3) with (uplink near2 downlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 12:56
S126	7	"6073257"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 14:22
S127	1	detect with MTM with MTPSTN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:05
S128	3	MTM with MTPSTN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:05
S129	5	(mobile near2 to near2 mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:06
S130	35662	((bit near2 error) or (block near2 error)) near2 rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 12:58

S131	164	\$130 with ("50%" or (("50" or fifty) near2 (percent or "%")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 12:58
S132	2635	(detect\$3) with (call with type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:34
S133	2130	\$132 and (@pd<"20031203" or @ad<"20031203" or @prad<"20031203" or @rlad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:35
S134	22001	370/241,252,310,311,328,329,335,342.ods.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:35
S135	48	S133 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:35
S136	892	(detect\$3) with (call near2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:36
S137	774	\$136 and (@pd<"20031203" or @ad<"20031203" or @prad<"20031203" or @prad<"20031203" or @prad<"20031203" or @prad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:36
S138	15	S137 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:36

S139	2937	(detect\$3 or determin\$3) with (call near2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:39
S140	2398	S139 and (@pd<"20031203" or @ad<"20031203" or @ptad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:39
S141	70	S140 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:39
S142	7	"6073257"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:48
S143	651	(mobile call) same (first with uplink) same (second with downlink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:50
S144	489	\$143 and (@pd<"20031203" or @ad<"20031203" or @ptad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:51
S145	106	S144 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:51
S146	65412	(((bit near2 error) or (block near2 error)) near2 rate) or (BER or BLER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:51

S147	5	S143 same S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:51
S148	385	(mobile call) same (overall or total) same S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 10:16
S149	296	S148 and (@pd<"20031203" or @ad<"20031203" or @ptad<"20031203" or @ptad<"20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 10:16
S150	46	S149 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 10:16
S151	261	S146 with 50%	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 12:32
S152	8	S146 with 50% with (link or uplink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 12:42
S153	26	S146 with 50% same (link or uplink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 12:43
S154	15	S146 with difference with total	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 12:46

S155	4	S146 with difference with (total or target) with link	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 12:49
S156	101	S146 with difference with (total or target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 12:51
S157	5	S146 with difference with (total or target) same link	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 12:51
S158	87	S146 with difference with (target)	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 12:52
S159	25	S146 near2 difference with (target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 12:52
S160	61	S146 with first with second with difference	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 13:00
S161	11	("6167259").URPN.	USPAT	OR	ON	2009/05/07 13:17
S162	6	("5257401" "5548812" "5564075" "5774808" "5802044" "5960361").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/07 13:17
S163	13	"6167259"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 12:44

S164	40300	370/241,252,310,311,328,329,335,342,464,465.cds. or 714/699,704. ccls. or 455/403,422.1,423,424,39,500,507,517,522,67.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 13:14
S165	2	((FREDRIK) near2 (JANSSON)).INV. and ((((bit near2 error) or (block near2 error)) near2 rate) or (BER or BLER)).clm.	US-PGPUB; USPAT	OR	ON	2009/05/08 13:19
S166	1	((PUTGER) near2 (ANDERSSON)).INV. and ((((bit near2 error) or (block near2 error)) near2 rate) or (BER or BLER)).clm.	US-PGPUB; USPAT	OR	ON	2009/05/08 13:19
S167	1	((MICHAEL) near2 (ANEHILL)).INV. and ((((bit near2 error) or (block near2 error)) near2 rate) or (BER or BLER)).clm.	US-PGPUB; USPAT	OR	ON	2009/05/08 13:19
S168	3	((KAPL) near2 (HELLWIG)).INV. and ((((bit near2 error) or (block near2 error)) near2 rate) or (BER or BLER)).clm.	US-PGPUB; USPAT	OR	ON	2009/05/08 13:19

5/8/2009 1:20:10 PM

C:\ Documents and Settings\ pmasur\ My Documents\ 2009\ 2009 - Quarter 3\ 10_581246\ 10_581246.wsp